

Wikiprint Book

Title: 1. Compiling

Subject: Igcmg_doc - Doc/ComputingCenters/LocalPC

Version: 9

Date: 06/29/24 09:21:29

Table of Content

Short guide to install a configuration on a local PC or other cluster	3
1. Compiling	3
1.1. Test installation of XIOS	3
1.2. Choose a target in AA_make.gdef	3
1.3. Adapt compilation for each model	3
1.4. Example for installing ORCHIDEE offline	3
1.5. Example for installing LMDZOR_v5.2 sequential mode with gfortran	4
2. Simulation with libGCM	5
3. Installing rebuild	5

Short guide to install a configuration on a local PC or other cluster

Compiling and running tools are set up by default for known IPSL computing centers. If you need to work on a local PC or another computing cluster, you need to adapt the compilation and running options.

1. Compiling

1.1. Test installation of XIOS

It is recommended to first make a test installation of XIOS following the guide here: <http://forge.ipsl.jussieu.fr/ioserver/wiki/documentation>. Then use the same libraries and compiler versions for all components as for XIOS.

Note: the netcdf4 library can be parallel or sequential, depending on the version. If the sequential netcdf4 library is used, some functionalities in XIOS can not be used such as using several servers. To link XIOS to the sequential library, the argument `--netcdf_lib netcdf4_seq` must be set when compiling XIOS. This is added in the main makefile or the main script for compilation just after `./make_xios --netcdf_lib netcdf4_seq ...`

Some configurations can be installed without XIOS.

1.2. Choose a target in AA_make.gdef

The `ins_make` script from `modipsl` will not recognize your local PC to create makefiles. You must specify an existing target or create a new target in the `util/AA_make.gdef` file. Adapt this target to your computing environment (compiler, options, path to netcdf, etc), and create a new makefile specifying this target:

```
./ins_make -t new_target
```

One of the important variables given is `FCM_ARCH`. Set for example `FCM_ARCH=NEW-ARCH`. `FCM_ARCH` gives the name of the arch files used for the different models, see next section.

1.3. Adapt compilation for each model

Please refer to the model managers of your model configuration to learn more about how to compile the IPSL models on a local PC and which compilers can be used with the specific models you need. See some information here below.

Most of the IPSL models uses compilation based on `fcm` and the compiling options are set in arch files. Depending on the version of the models and between the models the file `arch-target.path` might have different syntaxes. For each model, take as example one existing target machine and adapt for your PC. The files are stored in the folder `modipsl/modeles/MODEL/arch/arch-NEW_ARCH.fcm/.path/.env`. The name `NEW_ARCH` can be changed but must be the same for all modeles and set in `AA_make.gdef`.

1.4. Example for installing ORCHIDEE offline

Before installing ORCHIDEE, make a test installation of XIOS, see guide here: <http://forge.ipsl.jussieu.fr/ioserver/wiki/documentation>. If this fails, it is still possible to install ORCHIDEE without XIOS, see notes below.

```
# 1. Install a new modipsl
svn co http://forge.ipsl.jussieu.fr/igcmg/svn/modipsl/trunk modipsl

# 2. Install the configuration ORCHIDEE_trunk
cd modipsl/util
./model ORCHIDEE_trunk

# 3. Adapt and add compile options to your machine

# 3a. Compile options for component IOIPSL:
# Add a section NEW_ARCH in modipsl/util/AA_make.gdef
# Do this by copying the section ifort_CICLAD for example and adapt all options according to your machine and your compiler
# Make sur to have the variable FCM_ARCH correct as follow:
```

```

#-Q- NEW_ARCH FCM_ARCH = NEW_ARCH

# 3b. Add compile options for component XIOS
# Add following files (by coping and adapting one of the existing targets closest to your machine)
modipsl/modeles/XIOS/arch/arch_NEW_ARCH.fcm
modipsl/modeles/XIOS/arch/arch_NEW_ARCH.path
modipsl/modeles/XIOS/arch/arch_NEW_ARCH.env

# Note: the netcdf4 library can be parallel or sequential, depending on the version. If the sequential netcdf4 library is

# 3b. Add compile options for component ORCHIDEE
# Add following files (by coping and adapting one of the existing targets closest to your machine)
modipsl/modeles/ORCHIDEE/arch/arch_NEW_ARCH.fcm
modipsl/modeles/ORCHIDEE/arch/arch_NEW_ARCH.path
modipsl/modeles/ORCHIDEE/arch/arch_NEW_ARCH.env

# 4. Create makefiles with target NEW_ARCH
cd modipsl/util
./ins_make -t NEW_ARCH

# 5. Compile
cd modipsl/config/ORCHIDEE_OL
gmake

```

Notes:

- The name NEW_ARCH can be changed to another name but needs to be same everywhere
- All arch_NEW_ARCH.* files and AA_make.gdef must be coherent for the libraries and options choosen
- It is still possible to install without XIOS. For that case, you do not need to do 3b above and the compilation is done using **gmake without_xios**

1.5. Example for installing LMDZOR_v5.2 sequential mode with gfortran

```

# 1. Install configuration LMDZOR_v5.2 in a new modipsl
svn co http://forge.ipsl.jussieu.fr/igcmg/svn/modipsl/trunk modipsl
cd modipsl/util; ./model LMDZOR_v5.2

# 2. Adapt the path to your netcdf which must also be compiled with gfortran, in 3 files:
modipsl/modeles/LMDZ/arch/arch-gfortran.path
modipsl/modeles/ORCHIDEE/arch/arch-gfortran.path
modipsl/util/AA_make.gdef (section gfortran)

# 3. Change default compiling to sequential run mode in main makefile.
In modipsl/config/LMDZOR_v5.2/AA_make
change "-parallel mpi" into "-parallel none" at 3 places.
The name of the executables changes also, therefore change "_phylmd_para_orch.e" into "_phylmd_seq_orch.e" at 2 places

# 4. Recreate makefiles with target gfortran
cd modipsl/util
./ins_make -t gfortran

# 5. Compile as usual
cd modipsl/config/LMDZOR_v5.2; gmake

```

Note 1: for installing in parallel mode with MPI, do as above but adapt the files arch-gfortran.path, arch-gfortran.fcm and AA_make.gef with suitable compile options. You can use target gfortran_CICLAD in AA_make.gdef as example. Do not do point 3 above.

Note 2: for older version of ORCHIDEE, such as in LMDZOR_v5, the files in modeles/ORCHIDEE/arch do not exist. Compile options in AA_make.gdef is used for ORCHIDEE in this case.

The v6 configurations cannot be compiled in sequential mode because XIOS do not compile or run without the MPI library.

2. Simulation with libGCM

When using libGCM on a local PC, the parameters of the default system described in the libGCM_sys/libGCM_sys_default.ksh file will be used. You may have to change this file to match your system.

A minimum subset of files located on the shared IGCM account must be downloaded and installed. This directory is called R_IN in libGCM_sys_default.ksh and it has the default path /home/\${LOGIN}/IGCM.

3. Installing rebuild

The output of old version of the models (ORCHIDEE, LMDZ, INCA, REPROBUS) must be recombined to the total horizontal domain when simulation is done in parallel mode.

The tool for this is called *rebuild*. The rebuild tool is called in the post-processing phase by libGCM. rebuild is a fortran code included in IOIPSL. rebuild must be installed and compiled on the local machine. The rebuild can then be used interactively outside libGCM or in the post-processing phase.

Installation

```
cd modipsl/util
./model IOIPSL_PLUS
# Modify AA_make.gdef for the compiling as above
./ins_make -t new_target
cd ../modeles/IOIPSL/tools
gmake
```

For use with libGCM, add the path to your rebuild in libGCM_sys/libGCM_sys_default.ksh.

Use in interactive mode

rebuild can also be used interactively. For example create the global file sechiba_history.nc as following :

```
./rebuild -h
./rebuild -o sechiba_history.nc sechiba_history_00*
```