

## **Wikiprint Book**

**Title: 1. TGCC users' manual**

**Subject: Igcmg\_doc - Doc/ComputingCenters/TGCC**

**Version: 78**

**Date: 02/23/25 05:36:39**

## Table of Content

<b>Working on TGCC</b>	<b>3</b>
<b>1. TGCC users' manual</b>	<b>3</b>
<b>2. TGCC's machines and file systems</b>	<b>3</b>
<b>3. How to install your environment on TGCC</b>	<b>3</b>
<b>4. Project and computing needs</b>	<b>4</b>
<b>5. About file systems</b>	<b>4</b>
5.1. Quotas	4
5.2. CCCWORKDIR	4
5.3. CCCSTOREDIR	4
5.4. ccc_home command to know directory complete pathname	5
5.5. Storage spaces available from DODS	5
<b>6. End-of-job messages</b>	<b>5</b>
<b>7. Simulation outputs</b>	<b>5</b>
<b>8. About password</b>	<b>5</b>
<b>9. The TGCC's machines</b>	<b>5</b>


## Working on TGCC

---

### 1. TGCC users' manual

■ <http://www-hpc.cea.fr/fr/complexe/tgcc.htm>

### 2. TGCC's machines and file systems



### 3. How to install your environment on TGCC

- More information on the open-access website: ■ <http://www-hpc.cea.fr/fr/complexe/tgcc.htm>
- Online access to the machines' users manual (you will need a TGCC login and password): ■ <https://www-tgcc.ccc.cea.fr/>
- ■ [TGCC scripts environment](#)
- The available TGCC's machine is currently **curie** (Bull Sandybridge).
- Note: the **\$HOME/snapshot** directory contains hourly, daily, and weekly backups of your \$HOME files.

It is important to take the time to install a comfortable and efficient environment.

We suggest the user to use the p86ips1 login's environment (in bash) as an example (either copy or source the `~p86ips1/.bashrc` file). See the `~p86ips1/.bashrc` file

```
ryyy999@curie: cat ~/.bashrc
#-----
# PLATFORM ENVIRONMENT
#-----
source ~p86ips1/.bashrc
ryyy999@curie: cp ~p86ips1/.profile .
```

In this environment is specified:

the path to the compiler tool `fcm` and to the `rebuild` tool which recombines output files from a parallel model:

```
export PATH=~p86ips1/fcm/bin:~p86ips1/X64_CURIE/bin:$PATH
```

- the load of modules giving access to computing or post processing libraries and tools needed on our platform (done in `~p86ips1/.atlas_env_calcul_curie_ksh` and `~p86ips1/.atlas_env_post_curie_ksh`). The revision numbers may change, currently (21/01/2014) following modules are loaded for computing. Note the `netcdf 3.6.3` library:

```

module load ghostscript/9.04
module load ferret/6.6.7
module load netcdf/3.6.3
module load gsl/1.14
module load hdf5/1.8.8
module load nco/4.0.5
module load cdo/1.4.6
module load netpbm/10.47.34
module load imagemagick/6.7.4

```

The revision numbers may change, currently (21/01/2014) following modules are loaded for postprocessing:

```

module load ghostscript/9.04
module load ferret/6.6.7
module load netcdf/4.2
module load gsl/1.14
module load hdf5/1.8.8
module load nco/4.1.0
module load cdo/1.4.6
module load netpbm/10.47.34
module load imagemagick/6.7.4

```

## 4. Project and computing needs

- To find out the computing time used by the projects you are involved in (daily update):

```

ryyy999@curie: ccc_myproject

```

- Specify in the header the project from which your job will use computing time:

```

#MSUB -A genxxx

```

## 5. About file systems

### 5.1. Quotas

To check the available and used storage capacities of HOME, SCRATCH, CCCWORKDIR and CCCSTOREDIR:

```

ryyy999@curie: ccc_quota

```

On the curie machine this command will also return the space used by scratch (a specificity of the curie machine).

### 5.2. CCCWORKDIR

The \$CCCWORKDIR directory corresponds to the \$WORKDIR directory on curie. It is large but its content is not backed up.

### 5.3. CCCSTOREDIR

To manipulate the files in /ccc/store a few commands are useful:

```

# Demigrate a list of files on CCCSTOREDIR, see also "ccc_hsm -h"
ccc_hsm get $CCCSTOREDIR/FICHER1 $CCCSTOREDIR/FICHER2 ...

# Demigrate recursively the files from a CCCSTOREDIR directory, see also "ccc_hsm -h"
ccc_hsm get -r $CCCSTOREDIR/REPertoire

```

```
# Find out the used space on CCCSTOREDIR
cd $CCCSTOREDIR ; find . -printf "%y %s %p \n" | awk '{ SUM+=$2 } END {print "SUM " SUM/1000000 " Mo " SUM/1000000000 " Go"}'

# or use --apparent-size with du :
du -sh --apparent-size
```

#### 5.4. ccc\_home command to know directory complete pathname

ccc\_home could help you to find directory complete pathname for an other user or for you .

```
>ccc_home -h
ccc_home: Print the path of a user directory (default: home directory).
usage: ccc_home [-H | -s | -t | -W | -A | -G | -a] [-u user]
              [-h, --help]

-H, --home      : (default) print the home directory path ($HOME)
-s, -t, --scratch : print the scratch directory path ($SCRATCHDIR)
-W, --cccwork   : print the CCC work directory path ($CCCWORKDIR)
-A, --cccstore  : print the CCC store directory path ($CCCSTOREDIR)
-G, --cccgenostore : print the CCC genostore directory path ($CCCGENOSTOREDIR)
-a, --all       : print all paths
-u user         : show paths for the specified user instead of the current user
-h, --help      : display this help and exit

> ccc_home -A -u p86denv
/ccc/store/cont003/dsm/p86denv
```

#### 5.5. Storage spaces available from DODS

To store a file for the first time on dods, you must ask for dods write access by mail to the TGCC hotline access : [hotline.tgcc@cea.fr](mailto:hotline.tgcc@cea.fr).

#### 6. End-of-job messages

To receive the end-of-job messages sent by the job itself: end of simulation, error,... you must specify your address in the \$HOME/.forward file.

#### 7. Simulation outputs

Final simulation outputs are stored in \$CCCSTOREDIR/IGCM\_OUT and on \$CCCWORKDIR/IGCM\_OUT regarding the ATLAS and MONITORING directories.

The dods servers on TGCC are available via: [dods.extra.cea.fr/store](http://dods.extra.cea.fr/store) (files such as Analyse/TS and Analyse/SE) and [dods.extra.cea.fr/work](http://dods.extra.cea.fr/work) for ATLAS and MONITORING.

#### 8. About password

ccc\_password\_expiration helps you to know expiration date of your password. Currently password have to be changed one time per year.

```
> ccc_password_expiration
Password for xxxxx@USERS-CCRT.CCC.CEA.FR: Pppppppppp
Your password will expire in 70 days on Fri Nov 22 08:42:59 2013
> ccc_password_expiration -h
Usage: ccc_password_expiration [username[@realm]]
```

#### 9. The TGCC's machines

- [Curie](#)