

Wikiprint Book

Title: 1. Description

Subject: lgcmg_doc - Doc/Config/NEMO

Version: 23

Date: 06/29/24 09:55:10

Table of Content

The NEMO configurations	3
1. Description	3
1.1. Technical details	3
1.1. 1 The configuration on mod.def	3
1.2. Setting up NEMO with the modipsl environment	3
1.2.1. Retrieval	3
1.2.2. Compiling and installing	4

The NEMO configurations

Person in charge: Christian Ethé

1. Description

The NEMO configuration described here is an ocean-sea ice configuration based on the version 3.6 stable of NEMO (Nucleus for European Models of the Ocean), which includes three major components: the ocean physics NEMO-OPA, the sea-ice dynamics and thermodynamics NEMO-LIM3 and the ocean biogeochemistry NEMO-PISCES. The available resolutions builded on the ORCA quasi-isotropic global tripolar grid are 2°, 1° and 1/4°. The 1° (eORCA1) and 1/4° (eORCA025) are extended to the south so as to better represent the contribution of Antarctic under-ice shelf seas to the Southern ocean freshwater cycle. Notice that the biogeochemical model PISCES can be run coupled online with the dynamics (ORCA1-LIM3-PISCES for example) or in a "stand-alone" (ORCA2-LIM3-PISCES). This NEMO configuration has been builded to be able to perform the OMIP6 experiments (omip1 and omip2 protocol) ; thus some specific sources code are available through the shaconemo repository.

To find out more about the model description and the reference configurations, go here: <http://www.nemo-ocean.eu/About-NEMO>. To use and extract NEMO, you first need to register and choose a login/password

1. Technical details

1.1. 1 The configuration on mod.def

```

#--H- NEMO_v6_OMIP NEMOGCM for CMIP6 exercise
#--H- NEMO_v6_OMIP libIGCM trunk rev 1471
#--H- NEMO_v6_OMIP XIOS branch xios-2.5 rev 1550
#--M- NEMO_v6_OMIP Christian.Ethe@ipsl.fr
#--C- NEMO_v6_OMIP trunk/libIGCM                                1476 10 libIGCM
#--C- NEMO_v6_OMIP branches/2015/nemo_v3_6_STABLE/NEMOGCM      9455 7 .
#--C- NEMO_v6_OMIP trunk/ORCA1_LIM3_PISCES                      275 17 .
#--C- NEMO_v6_OMIP trunk/eORCA025_LIM3                           275 17 .
#--C- NEMO_v6_OMIP trunk/eORCA025_LIM3_PISCES                   275 17 .
#--C- NEMO_v6_OMIP trunk/ORCA1_OFF_PISCES                        275 17 .
#--C- NEMO_v6_OMIP CONFIG/UNIFORM/v6/NEMO_v6                     4716 8 NEMO_v6
#--C- NEMO_v6_OMIP XIOS/branches/xios-2.5                         1550 12 XIOS

```

1.2. Setting up NEMO with the modipsl environment

1.2.1. Retrieval

```

mkdir $WORKDIR/NEMO_STD      ;      cd $WORKDIR/NEMO_STD
svn co http://forge.ipsl.jussieu.fr/igcmg/svn/modipsl/trunk modipsl
cd modipsl/util

./model NEMO_v6_OMIP

```

Several built-in configurations are provided to evaluate the skills and performances of the model (cd ..config/NEMO_v6) . They can be used as as first easy set-up and as template for setting up a new configuration :

- ORCA2_LIM3_PISCES : the fully coupled global ocean on 2° horizontal grid and 31 vertical levels, with 10 levels in the top 100m

gmake ORCA2LIM3PISCES

- ORCA2_OFF_PISCES : stand-alone PISCES biogeochemical model on ORCA2 - dynamical fields are pre-calculated and read with specific time frequency

- ORCA1_LIM3_PISCES : the fully coupled global ocean on 1° horizontal grid, extended to the south and 75 vertical levels (from 1~m at the surface to 10~m at 100~m depth, and reaches 200~m at the bottom)
- ORCA1_LIM3_PISCES_CMIP6 : the ORCA1_LIM3_PISCES but to run the OMIP6 experiments
- ORCA1_OFF_PISCES : stand-alone PISCES biogeochemical model on ORCA1
- ORCA025_LIM3 : the global ocean on 1/4° horizontal grid, without the PISCES model
- ORCA025_LIM3_PISCES : the fully coupled global ocean on 1/4° horizontal grid

1.2.2. Compiling and installing

To compile each pre-built configuration

```
cd ../modipsl/config

- ORCA2_LIM3_PISCES :
- ORCA2_OFF_PISCES :
- ORCA1_LIM3_PISCES :
- ORCA1_LIM3_PISCES :
- ORCA1_OFF_PISCES :
- ORCA025_LIM3 :
- ORCA025_LIM3_PISCES :

{{{
#!/sh

on ada : ./makenemo -n ORCA1_LIM3_PISCES -m X64_ADA -j 8
on curie : ./makenemo -n ORCA1_LIM3_PISCES -m X64_CURIE -j 8

}}}
```

And then copy the binary in the appropriate directory

```
{{{
#!/sh

cp ORCA1_LIM3_PISCES/BLD/bin/nemo.exe ../../..../bin/.

}}}
```

2. Creating the job

```
{{{
cd modipsl/config/NEMO_v6
cp EXPERIMENTS/ORCA1_LIM3_PISCES/ia/config.card .

../../../../libIGCM/ins_job

}}}
```

3. Running the model

```
## 3.1 Input files: atmospheric forcings, initial states, namelists ##
```

The card files (opa9.card for orcal_lim and pisces.card for pisces) contain the list of files needed to perform the simulation. These files are described here: https://forge.ipsl.jussieu.fr/igcmg_doc/wiki/DocImodelAnemo

```
## 3.2 The run ##
```

This example is a 50 years CORE2 forcing climatological run of ORCA1_LIM3_PISCES split in 1-year jobs.

{{{

```

JobName=eOR1L3P
#----- Short Name of Experiment
ExperimentName=ORCA1clim
#----- DEVT TEST PROD
SpaceName=DEVT
LongName="ORCA1_LIM3_PISCES NEMO configuration"
TagName=ORCA1_LIM3_PISCES
#D- Choice of experiment in EXPERIEMENTS directory
ExpType=ORCA1_LIM3_PISCES/clim
=====
#-- leap, noleap, 360d
CalendarType=noleap
#-- Begin and end of Job
#-- "YYYY-MM-DD"
DateBegin=0001-01-01
DateEnd=0050-12-31
=====
#-- 1Y, 1M, 5D, 1D
PeriodLength=1Y

```

3.2 Submlit the job

{{{
#!/sh

```

on ada : llsubmit Job_eOR1L3P
on curie: ccc_msub Job_eOR1L3P

```

Performances

The performances of the eORCA1_LIM3_PISCES configuration can be find here: <http://forge.ipsl.jussieu.fr/igcmg/wiki/Performances>