

Wikiprint Book

Title: DocBenvAidrisAada

Subject: Igcmg_doc - DocBenvAidrisAada

Version: 18

Date: 07/01/24 14:25:02

Table of Content

Working on Ada	3
1. IDRIS users' manual	3
2. Commands to manage jobs on ada	3
3. Example of a job to start an executable in MPI	3
4. Information on Gaya files from Ada	4
5. Specificities libIGCM on Ada	4

Working on Ada

1. IDRIS users' manual

- See: <http://www.idris.fr/ada/> for ada
- See: <http://www.idris.fr/adapp> for adapp : pre-post-treatment

2. Commands to manage jobs on ada

- The job's time limit is measured in real time, for example 1 hour on 32 procs accounts for 32 hours. Be careful not to have too much time on 1 processor.
- `llsubmit -->` submit a job
- `llcancel -->` cancel a job
- `llq -u login -->` indicates all jobs in the queue or running for the login *login*
- Trick: parameterize the `llq` display to see the job names

```
llq -u $(whoami) -f %jn %id %st %c %dq %h -W
```

- Post-mortem : `jar , jar -l -j #jobid#`, to obtain detailed information: memory, real time, efficiency,...
 - on adapp, use : `/smplocal/bin/jar`
- Example of jar output :

```
ada > jar
|-----|
|--- IDRIS/CNRS. Version du 18 février 2013 ---|
|-----|

Sorties concernant l'identifiant rpslxxx pour la période du
==> 01 juin 2013 au 19 juin 2013

Owner   Job Name           JobId           Queue tEse  tCpu  #T  (%)  S
-----
rpslxxx ADA337         ada338.290170.0 c32t2  133   1232  32  28.95 C
rpslxxx ADA337         ada338.290333.0 c32t2  5425  165141 32  95.13 C
rpslxxx PACKDEBUG    ada338.290610.0 t2      11     2    1  18.18 C
rpslxxx ADA337         ada338.290438.0 c32t2  5471  166878 32  95.32 C
rpslxxx PACKRESTART  ada338.290611.0 t2      182    25    1  13.74 C
rpslxxx REBUILDWRK   ada338.290612.0 t2     1577   503    1  31.90 C
rpslxxx PACKOUTPUT   ada338.290730.0 t2     114    43    1  37.72 C
```

3. Example of a job to start an executable in MPI

Here is an example of a simple job to start an executable `orchidee_ol` (or `gcm.e` commented). The input files and the executable must be in the directory before starting the executable.

```
#!/bin/ksh
# #####
# ##   ADA IDRIS   ##
# #####
# Query's name
# @ job_name = test
# Job type
# @ job_type = parallel
# Standard output file
# @ output = Script_Output_test
```

```

# Error output file (the same)
# @ error = Script_Output_test
# Number of requested processes
# @ total_tasks = 8
# max. CPU time per MPI process hh:mm:ss
# @ wall_clock_limit = 1:00:00
# Number of task OpenMP/threads per MPI process
### @ parallel_threads = 4
# End of header
# @ queue

export LD_LIBRARY_PATH=${LD_LIBRARY_PATH}:/smplocal/pub/NetCDF/4.1.3/lib:/smplocal/pub/HDF5/1.8.9/seq/lib

poe ./orchidee_ol
#poe ./gcm.e

```

4. Information on Gaya files from Ada

The `mfls` command on Ada provides information on the Gaya files.


5. Specificities libGCM on Ada

At IDRIS and for Ada, output files are 'packed' using libGCM_v2, i.e. they are grouped by periods (in general 1 year) using the command `tar` or `ncrcat` for NetCDF output files.


This has been a default setup at TGCC for a few months. It is a new feature since February 2013 for IDRIS.

The diagram below shows the different options offered by libGCM. The 3rd option is currently activated by default at IDRIS. This option implies that files must be temporarily stored on the `$WORKDIR` space, which means that a large storage is needed (at least 20 To).

Simulations avec libIGCM : les options



The diagram below details the added jobs `pack_debug`, `pack_restart` and `pack_output` as well as the directories those jobs are using. Note that the files are temporarily stored in the `$WORKDIR/IGCM_OUT` directories before being grouped and sent on Gaya in the `IGCM_OUT` directories.



You will obtain annual output files with 12 monthly values in the Output/MO directory if you put `PackFrequency=1Y` in `config.card`. This is the default grouping period of most configurations but you can of course change it.

What you must remember:

- The tool [RunChecker.job](#) is meant to help you monitoring your simulations. It offers a synthetic view of the different post processing jobs' status.
- The tool [clean_year.job](#) is meant to help you clean until the last successfully computed pack period.
- If you detect anomalies and must rerun part of the simulation, you will have to make new complete pack periods (e.g. filling a gap by running 1 month of simulation is out of the question).
- The restart files are stored and grouped on Gaya in the directory `IGCM_OUT/.../RESTART`
- The different output text-files are stored and grouped on Gaya in the directory `IGCM_OUT/.../DEBUG`
- The listings for pack-jobs outputs stay on Ada in the directory `$WORKDIR/IGCM_OUT/.../Out`
- If you put the `SpaceName=TEST` parameter in `config.card` the pack jobs will not be started and your simulation will be stored as before in the `WORKDIR/IGCM_OUT` directory. This can be very useful for short tests.

To learn more about this Section, you can read the documentation on [Simulation and post-processing](#) and on [Monitor, debug and relaunching](#).

Finally, in case of panic, visit us or send your questions to the list Home-users.